

Air Quality Monitoring: Ozone Attainment Status
As of April 20th, 2016

Seminole State College (#C117-1002)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	56	29-Feb
2015	60	9-May
2014	60	4-May
2013	61	15-Mar

2015 3-Year Attainment Average: 60

2016 Year-to-Date 3-Year Running Average: 59

Osceola Co. Fire Station - Four Corners (#C097-2002)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	55	4-Apr
2015	61	1-May
2014	64	1-Apr
2013	65	16-Mar

2015 3-Year Attainment Average: 63

2016 Year-to-Date 3-Year Running Average: 60

Lake Isle Estates - Winter Park (#095-2002)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	57	5-Apr
2015	59	18-Mar
2014	63	1-Apr
2013	63	16-Mar

2015 3-Year Attainment Average: 62


2016 Year-to-Date 3-Year Running Average: 60

Winegard Elementary School (#L095-0008)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	55	8-Apr
2015	61	9-May
2014	62	5-Jun
2013	64	30-Mar

2015 3-Year Attainment Average: 62

2016 Year-to-Date 3-Year Running Average: 59

10-Year Historic Ozone Attainment Status
(Displayed in Parts per Billion)




Source: Florida Department of Environmental Protection

Air Quality Monitoring: Particulate Matter 2.5 Attainment Status
As of April 20th, 2016

Lake Isle Estates - Winter Park (#095-2002)		
Year	Daily Average PM _{2.5} (micrograms per cubic meter)	Date
2016	24	1-Jan
2015	25	24-Aug
2014	19	13-Dec
2013	26	11-Aug


PM _{2.5} 24 hour NAAQ Standard	35
98th percentile, 3 year average - 2016	23
98th percentile, 3 year average - 2015	23



Air Quality Monitoring: Primary NO₂ Attainment Status
As of April 20th, 2016

Lake Isle Estates - Winter Park (#095-2002)		
Year	Primary NO ₂ max one hour average (Parts per Billion)	Date
2016	40	11-Feb
2015	35	22-Aug
2014	42	17-Jan
2013	42	25-Jan

NO ₂ max 1 hour average NAAQ Standard	100
98th percentile, 3 year average - 2016	39
98th percentile, 3 year average - 2015	40



Source: Florida Department of Environmental Protection

Air Quality Monitoring: Ozone Attainment Status
As of May 23rd, 2016

Seminole State College (#C117-1002)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	62	11-May
2015	60	9-May
2014	60	4-May
2013	61	15-Mar

2015 3-Year Attainment Average: 60

2016 Year-to-Date 3-Year Running Average: 61

Osceola Co. Fire Station - Four Corners (#C097-2002)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	60	9-May
2015	61	1-May
2014	64	1-Apr
2013	65	16-Mar

2015 3-Year Attainment Average: 63

2016 Year-to-Date 3-Year Running Average: 62

Lake Isle Estates - Winter Park (#095-2002)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	66	9-May
2015	59	18-Mar
2014	63	1-Apr
2013	63	16-Mar

2015 3-Year Attainment Average: 62


2016 Year-to-Date 3-Year Running Average: 63

Winegard Elementary School (#L095-0008)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	60	26-Apr
2015	61	9-May
2014	62	5-Jun
2013	64	30-Mar

2015 3-Year Attainment Average: 62

2016 Year-to-Date 3-Year Running Average: 61

10-Year Historic Ozone Attainment Status
(Displayed in Parts per Billion)




Source: Florida Department of Environmental Protection

Air Quality Monitoring: Particulate Matter 2.5 Attainment Status
As of May 23rd, 2016

Lake Isle Estates - Winter Park (#095-2002)		
Year	Daily Average PM _{2.5} (micrograms per cubic meter)	Date
2016	24	1-Jan
2015	25	24-Aug
2014	19	13-Dec
2013	26	11-Aug


PM _{2.5} 24 hour NAAQ Standard	35
98th percentile, 3 year average - 2016	23
98th percentile, 3 year average - 2015	23



Air Quality Monitoring: Primary NO₂ Attainment Status
As of May 23rd, 2016

Lake Isle Estates - Winter Park (#095-2002)		
Year	Primary NO ₂ max one hour average (Parts per Billion)	Date
2016	40	11-Feb
2015	35	22-Aug
2014	42	17-Jan
2013	42	25-Jan

NO ₂ max 1 hour average NAAQ Standard	100
98th percentile, 3 year average - 2016	39
98th percentile, 3 year average - 2015	40



Source: Florida Department of Environmental Protection

Air Quality Monitoring: Ozone Attainment Status
As of June 27th, 2016

Seminole State College (#C117-1002)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	63	10-May
2015	60	9-May
2014	60	4-May
2013	61	15-Mar

2015 3-Year Attainment Average: 60

2016 Year-to-Date 3-Year Running Average: 61

Osceola Co. Fire Station - Four Corners (#C097-2002)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	64	25-May
2015	61	1-May
2014	64	1-Apr
2013	65	16-Mar

2015 3-Year Attainment Average: 63

2016 Year-to-Date 3-Year Running Average: 63

Lake Isle Estates - Winter Park (#095-2002)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	66	9-May
2015	59	18-Mar
2014	63	1-Apr
2013	63	16-Mar

2015 3-Year Attainment Average: 62


2016 Year-to-Date 3-Year Running Average: 63

Winegard Elementary School (#L095-0008)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	63	9-May
2015	61	9-May
2014	62	5-Jun
2013	64	30-Mar

2015 3-Year Attainment Average: 62

2016 Year-to-Date 3-Year Running Average: 62

10-Year Historic Ozone Attainment Status
(Displayed in Parts per Billion)




Source: Florida Department of Environmental Protection

Air Quality Monitoring: Particulate Matter 2.5 Attainment Status
As of June 27th, 2016

Lake Isle Estates - Winter Park (#095-2002)		
Year	Daily Average PM _{2.5} (micrograms per cubic meter)	Date
2016	24	1-Jan
2015	25	24-Aug
2014	19	13-Dec
2013	26	11-Aug


PM _{2.5} 24 hour NAAQ Standard	35
98th percentile, 3 year average - 2016	23
98th percentile, 3 year average - 2015	23



Air Quality Monitoring: Primary NO₂ Attainment Status
As of June 27th, 2016

Lake Isle Estates - Winter Park (#095-2002)		
Year	Primary NO ₂ max one hour average (Parts per Billion)	Date
2016	40	11-Feb
2015	35	22-Aug
2014	42	17-Jan
2013	42	25-Jan

NO ₂ max 1 hour average NAAQ Standard	100
98th percentile, 3 year average - 2016	39
98th percentile, 3 year average - 2015	40



Source: Florida Department of Environmental Protection

Air Quality Monitoring: Ozone Attainment Status
As of August 18th, 2016

Seminole State College (#C117-1002)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	63	10-May
2015	60	9-May
2014	60	4-May
2013	61	15-Mar

2015 3-Year Attainment Average: 60

2016 Year-to-Date 3-Year Running Average: 61

Osceola Co. Fire Station - Four Corners (#C097-2002)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	64	25-May
2015	61	1-May
2014	64	1-Apr
2013	65	16-Mar

2015 3-Year Attainment Average: 63

2016 Year-to-Date 3-Year Running Average: 63

Lake Isle Estates - Winter Park (#095-2002)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	66	9-May
2015	59	18-Mar
2014	63	1-Apr
2013	63	16-Mar

2015 3-Year Attainment Average: 62


2016 Year-to-Date 3-Year Running Average: 63

Winegard Elementary School (#L095-0008)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	63	9-May
2015	61	9-May
2014	62	5-Jun
2013	64	30-Mar

2015 3-Year Attainment Average: 62

2016 Year-to-Date 3-Year Running Average: 62

10-Year Historic Ozone Attainment Status
(Displayed in Parts per Billion)




Source: Florida Department of Environmental Protection

Air Quality Monitoring: Particulate Matter 2.5 Attainment Status
As of August 18th, 2016

Lake Isle Estates - Winter Park (#095-2002)		
Year	Daily Average PM _{2.5} (micrograms per cubic meter)	Date
2016	21	6-Jun
2015	25	24-Aug
2014	19	13-Dec
2013	26	11-Aug


PM _{2.5} 24 hour NAAQ Standard	35
98th percentile, 3 year average - 2016	22
98th percentile, 3 year average - 2015	23



Air Quality Monitoring: Primary NO₂ Attainment Status
As of August 18th, 2016

Lake Isle Estates - Winter Park (#095-2002)		
Year	Primary NO ₂ max one hour average (Parts per Billion)	Date
2016	40	11-Feb
2015	35	22-Aug
2014	42	17-Jan
2013	42	25-Jan

NO ₂ max 1 hour average NAAQ Standard	100
98th percentile, 3 year average - 2016	39
98th percentile, 3 year average - 2015	40



Source: Florida Department of Environmental Protection

Air Quality Monitoring: Ozone Attainment Status
As of September 6th, 2016

Seminole State College (#C117-1002)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	63	10-May
2015	60	9-May
2014	60	4-May
2013	61	15-Mar

2015 3-Year Attainment Average: 60

2016 Year-to-Date 3-Year Running Average: 61

Osceola Co. Fire Station - Four Corners (#C097-2002)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	64	25-May
2015	61	1-May
2014	64	1-Apr
2013	65	16-Mar

2015 3-Year Attainment Average: 63

2016 Year-to-Date 3-Year Running Average: 63

Lake Isle Estates - Winter Park (#095-2002)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	66	9-May
2015	59	18-Mar
2014	63	1-Apr
2013	63	16-Mar

2015 3-Year Attainment Average: 62


2016 Year-to-Date 3-Year Running Average: 63

Winegard Elementary School (#L095-0008)		
Year	Fourth Highest 8-Hour Average (Displayed in Parts per Billion)	Date
2016	63	9-May
2015	61	9-May
2014	62	5-Jun
2013	64	30-Mar

2015 3-Year Attainment Average: 62

2016 Year-to-Date 3-Year Running Average: 62

10-Year Historic Ozone Attainment Status
(Displayed in Parts per Billion)




Source: Florida Department of Environmental Protection

Air Quality Monitoring: Particulate Matter 2.5 Attainment Status
As of September 6th, 2016

Lake Isle Estates - Winter Park (#095-2002)		
Year	Daily Average PM _{2.5} (micrograms per cubic meter)	Date
2016	24	1-Jan
2015	25	24-Aug
2014	19	13-Dec
2013	26	11-Aug


PM _{2.5} 24 hour NAAQ Standard	35
98th percentile, 3 year average - 2016	23
98th percentile, 3 year average - 2015	23



Air Quality Monitoring: Primary NO₂ Attainment Status
As of September 6th, 2016

Lake Isle Estates - Winter Park (#095-2002)		
Year	Primary NO ₂ max one hour average (Parts per Billion)	Date
2016	34	20-Jan
2015	35	22-Aug
2014	42	17-Jan
2013	42	25-Jan

NO ₂ max 1 hour average NAAQ Standard	100
98th percentile, 3 year average - 2016	37
98th percentile, 3 year average - 2015	40



Source: Florida Department of Environmental Protection